



Certificate of Analysis

Product Name	Selamectin	Manufacture Date	Apr.02.2023
Batch Number	SW230402	Analysis Date	Apr.03.2023
Batch Quantity	500kg	Expiry Date	Apr.02.2025

ANALYSIS	SPECIFICATION	RESULT
Appearance	White powder	Conforms
Assay	NLT 99%	99.57%
Identification	HPLC	HPLC
Solubility	Soluble in water	Complies
Loss on drying	$\leq 2.0\%$	1.02%
Heavy Metals	$\leq 15\text{ppm}$	$< 3\text{ppm}$
Arsenic (As)	$\leq 2.5\text{ppm}$	0.6ppm
Lead (Pb)	$\leq 2\text{ppm}$	$< 0.7\text{ppm}$
Total Plate Count	$< 1000\text{cfu/g}$	$< 80\text{cfu/g}$
Yeast & Mold	$< 100\text{cfu/g}$	10cfu/g
E.Coli	Negative	Negative
Salmonella	Negative	Negative
Conclusion	This product conforms to international standards	

Packing description	Sealed export grade drum & double of sealed plastic bag
Storage	Store in a cool and dry place, stay away from strong light and heat
Shelf life	2 years when properly stored

Quality Assurance Officer:李强

Corrector:佟丽华

Analyst:方琼

